



## Mike Wood Consulting LLC

3705 Ebony Hollow Pass, Austin, TX 78739

Phone: (512) 288-4916

Cell: (512) 656-6377

[www.mikewoodconsulting.com](http://www.mikewoodconsulting.com)

## Megalite Circa LED Inner RGB Emitters

January 16, 2019

### Electrical

Voltage: 120 V AC, 60 Hz

Power: 192 W

VA: 192 VA

Current: 1.57 A

PF: 1.0

### Output at full

Lens	Lumens at full output	Efficacy
n/a	1,527	8 lm/W


## Color Rendering

CCT: n/a

Duv: n/a




CRI (Ra): n/a

## Spectrum



## Full Output All Emitters

Lumens at full output : 1,527 lm



## Zonal Lumen Summary

Zone	Lumens
0° - 15°	422
0° - 30°	1069
0° - 45°	1393
0° - 60°	1527
0° - 90°	1527
0° - 180°	1527

## Candela Distribution:

0.0°	2225	31.0°	499	62.0°	0
1.0°	2206	32.0°	460	63.0°	0
2.0°	2187	33.0°	422	64.0°	0
3.0°	2187	34.0°	403	65.0°	0
4.0°	2168	35.0°	374	66.0°	0
5.0°	2148	36.0°	364	67.0°	0
6.0°	2110	37.0°	345	68.0°	0
7.0°	2072	38.0°	326	69.0°	0
8.0°	2053	39.0°	288	70.0°	0
9.0°	2033	40.0°	269	71.0°	0
10.0°	1995	41.0°	249	72.0°	0
11.0°	1957	42.0°	230	73.0°	0
12.0°	1899	43.0°	211	74.0°	0
13.0°	1841	44.0°	192	75.0°	0
14.0°	1784	45.0°	173	76.0°	0
15.0°	1746	46.0°	173	77.0°	0
16.0°	1669	47.0°	153	78.0°	0
17.0°	1592	48.0°	153	79.0°	0
18.0°	1496	49.0°	134	80.0°	0
19.0°	1381	50.0°	134	81.0°	0
20.0°	1247	51.0°	115	82.0°	0
21.0°	1151	52.0°	115	83.0°	0
22.0°	1055	53.0°	96	84.0°	0
23.0°	978	54.0°	96	85.0°	0
24.0°	902	55.0°	77	86.0°	0
25.0°	844	56.0°	77	87.0°	0
26.0°	786	57.0°	58	88.0°	0
27.0°	729	58.0°	58	89.0°	0
28.0°	691	59.0°	48	90.0°	0
29.0°	614	60.0°	48		
30.0°	556	61.0°	0		